PS

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX

Issues 104-109
(Jul-Dec 1961)

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 4
to
ISSUES 104 - 109
(July - December 1961)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels.

Within limits of availability, older issues may be obtained direct from PS Magazine, Raritan Arsenal, Metuchen, New Jersey.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:



DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this Index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 104 to 109 INCLUSIVE

	PS	Page
A		
AIR COMPRESSOR		
Chicago Pneumatic PB-44 safety valves	108	17
Davey RPC-15		
Fix to remove panel	104	64
Hookup to NC-10 Crane	104	62
Lubricants	105	65
Servicing oil separator	105	58
Harris Models 2M, 3MV--New nose inflating valves	105	57
Hose, high pressure	104	47
Le Roi 5 CFM--Belt adjustment	104	49
AIR CONDITIONER		
Fairchild Stratos V-EA4-3--Inspect lube filters	106	11
AIRFIELD RUNWAY LIGHT SET		
Replace transformer	104	54
AIRCRAFT, ARMY, GENERAL		
APU--AR 746-2300-1 allows yellow paint	109	49
Binder for DD Form 781-series	106	24
Binders--Repunch pub holes	108	24
DD Form 1275 (UR)--Use for tools	109	50
Decals--Authority for use	107	58
De-icer boot care (AO-1, AC-1, L-23)	107	60
Electronic Configurations	105	55

	PS	Page
AIRCRAFT, ARMY, GENERAL (Cont'd)		
Exhaust tube flanges--correcting warpage	108	20
Fire Extinguishers		
Instructions for Monobromotrifluoromethane (CF_3Br)		
See your support before installing	107	54
Hangar--Safety practices	109	51
Hardware		
Fasteners--Use of force will strip threads	107	59
Inspections--No extensions	104	55
Landing gear shock strut--sagging due to faulty packing	108	22
Lockwiring	107	57
Publications Distribution	106	65
Pubs--Use DD Form 1149 for AFTO's	108	65
Safety		
Non slip paint on skids	106	22
Prevent FOD--Police the ramp	106	26
Screws--Don't mix recessed heads	108	23
Supply		
Return reparable parts for resupply	105	52
SB 1-15-9--Modification kits	106	28
Survival gear	107	55
AIRCRAFT, ARMY		
Fixed Wing		
AC-1 (Caribou)		
De-icer boot care	107	60
AO-1 (Mohawk)		
De-icer boot care	107	60
L-19 (Bird Dog)		
Check aileron cables rub strip area	106	27
L20A		
Missing nut at tail plane pick up block	106	24
Report holes in field	106	23
L-23 (Seminole)		
De-icer boot care	107	60
Fabricate fuel pump holder	105	54
Rotary Wing		
Abrasion strips of rotor blades	109	48

	PS	Page
Rotary Wing		
Fire extinguisher in place	104	56
H13 (Sioux)		
Antenna mounting cracks	104	51
Clean filter to correct low oil pressure	107	58
Cotter pin in tail rotor pitch control tube	105	53
New balancing tool	108	19
Non slip paint for skids	106	22
H23D (Raven)		
Air vent scoop	105	56
Non slip paint on skids	106	22
Switching tail rotor pitch change link bearings	106	25
H-34 (Choctaw)		
Pre-oil procedure	104	52
ARMORED PERSONNEL CARRIER M113		
(See Carrier, Personnel, Armored M113)		

B

BAYONET		
Bayonets matched with correct rifles	107	25
BELT, V		
Compressor, Le Roi 5 CFM	104	49
BREATHING APPARATUS		
Filling cylinders	104	47
BREATHING APPARATUS, OXYGEN		
Cold weather canister	105	28
BROMOCHLOROMETHANE (tech)		
FSN is for 5-gal or 80-lb can	109	15
BRUSHES, ELECTRICAL EQUIPMENT		
Maintenance and replacement	104	44

C

CABLE		
Fire control--New rubber preservative coating	109	42
Guide for NC-10 Cranes	105	41
M109 Shop van truck	109	40

	PS	Page
CAMERA EQUIPMENT		
Be Your Own Inspector	105	48
CAN, WATER		
General tips on PM	106	9
CAP, SERVICE		
Good way to store your AG-44	105	63
CARBINE		
Gas Piston--Go easy on cleaning	106	9
CARBON MONOXIDE		
Poisoning--Look for leaks	109	29
CARRIER, LIGHT WEAPONS M274		
Quick disconnect for control cables	104	40
CARRIER, PERSONNEL, ARMORED, M59		
Slaving	105	39
Transmission coolant line fittings--Leak	104	18
CARRIER, PERSONNEL, ARMORED, M113		
How to operate, maintain		
Part I	107	2
Part II	108	44
CHAINS, TIRE		
How to get them	109	15
CLAMPS, SPRING		
Handy help	106	64
CLOTHING		
Care of flying togs (TB QM 143)	108	24
COMMAND MAINTENANCE INSPECTION		
New terms for use	104	19
CRANE, AMMO CARRYING (See Materials Handling Equipment)		
CRANE, FEDERAL, 5-TON		
Cable Guide	105	41
Tail-end direction indicator	105	64

D

DEFICIENCIES		
New definitions	104	19
DETECTOR KIT		
Carbon Monoxide, M23--Put it together right	107	28
DISPENSERS, FUEL		
How to tell if parts are interchangeable	106	38

	PS	Page
E		
ECHELON SYSTEM		
How it works	105	29
ELECTRICAL CONNECTORS		
Coupling, uncoupling U-185A/G and U-187/G	107	42
Kit--Douglas waterproof repair	105	14
ELECTRICAL EQUIPMENT		
Brush--Maintenance	104	44
Proper Maintenance	108	29
ELECTRIC REPAIR SHOP		
Landing Gear Crank--Care when using	105	57
ENGINE, GASOLINE		
AOSI 895-5--Fuel filter	104	19
AV-1790 Series		
Spark plug gap setting	104	37
ENGINEER EQUIPMENT		
Maintenance--After water damage	105	59
ENGINES, DIESEL		
Cleaning intake stack	105	60
EQUIPMENT		
QM Maintenance	104	65
EQUIPMENT, NEW		
You might get it at the Port	104	29
EXTENSION LIGHTS		
How to get explosion-proof types	107	37
F		
FILTER UNIT, TANK M8A2(See Tank, General)		
FIRE CONTROL EQUIPMENT		
Nitrogen needed	109	16
FIRE EXTINGUISHERS		
Caution on heat and shock	106	23
Weigh with connecting head on	106	7
FIRING LOCK M34		
Installation on 155's and 8-inch SP howitzer	109	65

	PS	Page
FLAME THROWER, M2A1-7		
Chevron packings--Put together right	104	42
FLAME THROWER TANK M7A1-6		
Flame gun operation plate--See C3 to TM 3-1040-206-10	109	65
Stowage Boxes for periscopes	107	65
FLASHLIGHT		
Where to get explosion-proof types	107	37
FORDING KITS, DEEP-WATER		
Long and short types	107	23
FORMS		
Signal--Basic PM Forms	107	44
FORMS, DA, DD, SF, ETC.		
DA Form 10-46--Reproduce your own for now	104	39
DA Form 11-238--Use with mine detectors	105	38
DA Form 468		
UER--New addresses	106	43
DA Form 468--UER, Ordnance addresses	108	65
DD Form 1275 (See AIRCRAFT, GENERAL)		
DA Form 2170--How to fill out	104	22
DD Form 1150-1--When to use	108	62
FUEL FILTER		
AOSI 895-5--Engine filter element kit	104	19

G

GENERATOR		
Pre-heaters for engines	106	14
Cummins		
Model JS-6-G-45KW-AC--Purge air in actuator	106	15
Model NVH-12-G-150KW-AC--Purge air in actuator	106	15
Model NVH-12-G-150KW-AC--Use high range thermostats	109	59
Lumen		
Model 2207--Purge air in actuator	106	15
GENERATOR, CONSOLIDATED DIESEL 45KW		
Incorrect stock number	107	65
GENERATOR, HOL-GAR CE-105-AC/WK8		
Drill hole in fuel filler cap	104	46

	PS	Page
GRADER		
Huber-Warco Model 4D--Don't idle	109	59
GREASE GUN		
How to make it hold better	109	62
GROMMET		
Expedient Fix	106	64
GUN, 40-MM		
Extractors--You can switch the bushings	106	6
GUN, MACHINE, 30 CAL		
Trigger-- Match to gun	105	22
GUN, SELF-PROPELLED, 90MM, M56 (SCORPION)(SPAT)		
Recoil System--Drain recoil mechanism weekly	107	27
Track removal	109	63
GUN, SELF PROPELLED, 115MM, M53		
Checking hydraulic power pack lube level	104	20

H

	PS	Page
HAWK		
Loader--Use OHC in Hydraulic System	106	4
Loader-Transporter		
Road wheel hubs get OE	109	65
Watch that battery cover plate	109	42
HEATER, 250,000 BTU		
Fuel metering and shut off valve dials--How to replace	108	38
HELMET, APH-5		
FSN for carrying case	104	65
HONEST JOHN		
Generator Set, M25--Turn off fuel supply	106	5
M405 Handling Unit--Change in filter FSN	105	65
M405 Handling Unit--Stencil stowage boxes	106	4
Rocket		
Get right multimeter adapter	105	26
Use 5/8-in fin attach screws	105	24
Warhead, XM-72--Use right guide pin	106	65
Warhead, XM-72--Use right mating bolt	106	65
HOSE, HIGH PRESSURE, AIR		
For capping compressors	104	47

	PS	Page
HOWITZER, 105MM		
Cradle--Has plugs for draining	106	9
Respirator Loose--Use new copper washer	108	65
HOWITZER, 8-INCH SELF-PROPELLED, M55		
Checking hydraulic power pack lube level	104	20
HYDRAULIC FLUID		
Different kinds and uses	105	44

I

IDENTIFICATION PLATES		
Incorrect stock number	107	65
INSPECTION		
Be Your Own Inspector		
M14 Rifle	109	2
M-1937 Field Range	104	57
Nike-Ajax guidance and control section dolly	106	3
Radio Set AN/PRC-6	104	24
Your camera equipment	105	48
What are the things that count?	105	1
INSPECTOR		
Put yourself in his shoes	105	1
INTRENCHING MACHINE		
Barber-Greene Model 750		
Open hydraulic valves	109	60
Unit Rig--Positioning shift lever	105	61
Unit Rig Model 4262		
Replace worn teeth	109	61
Stencil tanks	109	60

K

KIT, WATER TESTING, AN-M2		
Chemical tablets--One in wrapper	107	28

	PS	Page
L		
LANTERN, GASOLINE		
More light with aluminum reflector	109	40
LAUNCHER, ROCKET 3.5 INCH		
Anti-flash mask (See PROTECTIVE MASK)		
Muzzle deflector, breech guard get painted	107	25
LIGHT BULBS--Safe removal	107	63
LITTLEJOHN		
Rocket		
Bad fuse can mean a dud	109	43
Mate the right way	109	43
No lube for thrust bearings	109	43
Thrust neutralizer is heavy	109	42
LOAD-TESTING		
Stencil hourmeter reading too	107	63
LOCOMOTIVES		
Spark arrestors	104	65
LUBRICATION		
Rotary Wing, H23D		
Correct FSN for grade L or M lube oil	104	50
M		
MAINTENANCE		
Be ready to go with what you have	104	29
Echelon--How they work	105	29
General	106	1
	107	1
	108	1
Publications--Change 2 to TM 9-2810	105	65
Tropical climate	108	2
MATERIALS HANDLING EQUIPMENT		
Ammo carrying crane--Safety inspected every 2 months or 100 operating hours	108	18
Cable guide for NC-10 Crane	105	41

	PS	Page
MATERIALS HANDLING EQUIPMENT (Cont'd)		
Direction indicator for the NC-10 Crane	105	64
Relocate choke on 2,000-lb Yale & Towne	105	42
MINE DETECTORS		
Record PM on DA Form 11-238	105	38
MODIFICATION WORK ORDER		
Save QM MWO kit for installer	109	15
MOUNTING, RADIO		
Cable care of MT-298/GR	105	47
MOUNTINGS		
Radio Sets--Keep covered when not used	108	28
MULE, M274 (SEE CARRIER, LIGHT WEAPONS M274)		

N

NIKE, GENERAL (AJAX AND HERCULES)		
Missile		
Silastic sealant not needed	105	25
Tester, Squib--Right switch position	105	24
Trailer, Launching Control		
Heater--Face baffle right way	107	24
NIKE HERCULES		
Acquisition Antenna		
Be careful of shock	105	25
Hoisting Beams		
Protecting attaching bolt threads	105	65
Launcher		
New setscrew for stop position	106	2
Missile		
Get right battery box cover assembly	105	26
Van, BC		
Check control indicator for short	105	23

O

OIL		
GO-90--Be careful using new and old	109	37
Hydraulic--Different kinds and uses	105	44

	PS	Page
OPERATION TAPER		
General	105	65
OXYGEN, BREATHING APPARATUS M13		
Cold weather canister	105	28

P

PAINT		
Radios--When to paint	106	18
PERSONNEL HEATERS		
Dangers in using	108	14
POWER SUPPLY		
PP-112/GR--Inserting vibrators properly	106	18
PROJECTOR SETS		
Take-up and re-wind belts	104	26
PROTECTIVE MASK		
M9A1 used as anti-flash mask in rocket launching	106	10
PUBLICATIONS		
Cleaning materials--TB 9-268, TB SIG 327	105	65
Commercial--How to get	105	40
Distribution		
AG Center Bulletins	107	26
MWO 11-5410-207-25/1		
Warning sign for AN/GRC-26	108	27
New	104	43
	105	43
	106	21
	107	41
	108	43
	109	13
Quartermaster		
New SB 10-576 with change	104	65
Signal--SM 11-1-7600	104	28

R

RADIAC		
Charger--Compensate for charge loss	106	19

	PS	Page
RADIO SET		
AN/GRC-19--Cap electrical	109	38
AN/GRC-26--When to leave heater off	108	26
AN/PRC-6--Be Your Own Inspector	104	24
Handset-Headset		
Cannibalize clip for H-81-A/U	106	16
Receiver-Transmitter case	104	27
Receiver-Transmitters RT-66, 67, 68		
Antenna Core, care of	108	27
Shield on Handset H-33/PT, AN/PRC-6	104	65
RADIO TRANSMITTER		
Filter for T-195/GRC	106	16
RAIL EQUIPMENT		
Locomotive, Model H12-44 Diesel-Electric		
Bed drain pipes--Check for clogged	107	60
RECEIVER-TRANSMITTER		
Screen for RT-349/ARC-55	107	65
REQUISITIONING		
Blue Streak--Missile support	106	65
RIFLE, 7.62-MM, M14		
Barrel--Clean with bore cleaner	107	65
Be Your Own Inspector	109	2
RIFLE, M1, CAL 30		
Gas Cylinder Lock--Go easy on the valve	109	18
Timing--Check it often	108	15

S

SAFETY		
Elbows for pop valves	108	17
Explosion-proof flash-extension lights	107	37
Tank Trucks		
Bonding and Grounding while re-fueling	106	40
SEASONAL OPERATION		
Cold Weather Care		
Engineer Equip Operation	109	54
General Maintenance	109	1
Prepare engineer equip for winter	109	57

	PS	Page
SERVICE CAP		
Good way to store your AG-44	105	63
SLAVING		
Armored Personnel Carrier M59	105	39
SMOKE GENERATOR, M3 SERIES		
Mount, M2--Part of M3	105	27
Training films available	105	27
SPARK PLUG		
Gap setting for AV-1790 engine	104	37
STATIC ELECTRICITY		
Use of bonds and grounds in re-fueling	106	40
STORAGE		
Perishable supplies and parts	108	39
STOVE, M-1937 FIELD RANGE		
Be Your Own Inspector	104	57
SUPPLY		
Manuals--Using engineer pubs	107	20
Multiple line item form use (DD Form 1150-1)	108	62
Need ORD 7's and MPLL	107	21

T

TANK, GENERAL		
Charging system--Grounding	107	22
Filter Unit M8A2--Check hose coupling valve	108	65
Lubrication leaks at hub, care for	108	15
Primer Pump, easy removal (Light tank series)	107	64
TANK M47 AND M48A1		
Spark plug gap setting	104	37
TANK, M48A2		
Charger, M-10		
Pull it smoothly--Don't jerk	109	17
TANK, M60		
Cams, ballistics computer	108	65
Fire Control System		
Keep M17C Range Finder snap rings in place	106	8
Fuel for diesel engine	106	50

	PS	Page
TANK, M60		
General Article Part I	104	2
General Article Part II	105	2
General Article Part III	106	46
Manifold heater switch connectors	106	61
Starting warning	109	65
TANK, 120-MM GUN, M103		
LO and TM--Correct numbers	107	65
TELEPHONE		
TA-43/PT and TA-312/PT		
Tighten gasket screws	108	25
TENTS		
Re-coating compound application	109	44
TIRES		
Inflation, 10-ton truck	105	63
TOOLS		
Commercial vehicle	109	39
Improvised		
Removing dzus fasteners	106	17
2nd Echelon No. 2 Common--See Change 1 to SM	106	65
Sets-Kits		
Signal--TE-113	109	19
Transportation Motor Pool Maintenance Shops--FSN's	106	42
TOWING		
Cable, Intervehicular--Fabricate	109	64
Davey RPC-15--Hookup to NC 10 Crane	104	62
Hookup--Davey RPC-15 to NC 10 Crane	104	62
TRACTOR, CATERPILLAR D8 (9A)		
Drawbar pins too big	106	37
TRACTORS, CRAWLER		
Maintaining, servicing track	106	12
TRACTOR, CRAWLER, IHC, TD-6(62)		
Tips on using glow plugs	109	58
TRACTOR, CRAWLER, IHC TD-18 AND TD-20		
Clutch drain plug access	104	48
TRACTOR, WHEELED		
Tournadozer--Right filter element	108	37
TRAILER		
Draining	107	40

	PS	Page
TRAILER, 1 1/2-TON M104A1		
U-bolt brackets	106	39
TRAILER, SEMI, 4-WHEEL, 6-TON, M295A1		
Publications--Numbers changed	104	39
TRAILER, SEMI, 12-Ton, M131, M131A1, and M131A2		
Parts TM--Change number	106	65
TRAILER, SEMI, M172, M172A1		
Payload ratings	104	18
Ramps--Loading	109	65
TRAILER, SEMI, M348A1		
Parts manual	109	41
TRAILER, SEMI, M373, M373A1		
Parts, interchangeable	109	41
TRUCK, 1/4-TON, G758-SERIES		
Screws, steering knuckle	109	14
TRUCK, 1/4-TON, M38		
Horn rod replacer	104	63
Screws, steering knuckle	109	14
Turnbutton--Canvas attaching	105	19
TRUCK, 1/4-TON, M38A1		
Bearing, bushing (front spring bracket)	104	38
Curtain rod hinge pin	106	62
Headlight bracket threads	106	63
Horn rod replacer	104	63
Turnbutton--Canvas attaching	105	19
TRUCK, 1/4-TON M38, M38A1, M38A1C, M170		
Generator System, 100-Amp--How to get	105	20
TRUCK, 1/4-TON, M151		
Bracket, fire extinguisher	109	16
TRUCK, 1/4-TON, M170		
Bearing, bushing (front spring bracket)	104	38
TRUCK, 3/4-TON G741 SERIES		
Carburetor--Adjusting screws	109	63
Generator System, 100-Amp--How to get	105	20
TRUCK, 2-1/2 TON G742 SERIES		
Distributor, breaker point gap	107	64
Generator System, 100-Amp--How to get	105	20
Lube spring seat bearings	104	17

	PS	Page
TRUCK, 2 1/2 TON, G749 SERIES		
Brakes--Lubricate screws	105	18
Generator System, 100-Amp--How to get	105	20
Lube spring seat bearings	104	17
Transmission coolant line fittings--Leak	104	18
TRUCK, 2-1/2 TON, GASOLINE TANK, M49		
Delivery pump rating	105	37
TRUCK, TANK, 2-1/2-TON M49, M49C		
Filter, catwalk	109	65
TRUCK, TANK, 2-1/2 TON, M50		
Delivery pump rating	105	37
TRUCK 5-TON G744 SERIES		
Lube spring seat bearings	104	17
Oil filter wrench	105	62
Propeller shaft, front--Installation	106	7
TRUCK, 10-TON, GENERAL		
Crankcase capacity	108	16
Pressure--Tire inflation	105	63
TRUCK, 10-TON, M125		
Bows, Cargo Body	106	39
Lug nut	109	38
Pintle--Howitzer towing	105	38
Servicing air cleaners	107	39
TRUCK, FUEL-CARRYING		
Use bonds and grounds while re-fueling	106	40
TRUCK, TRACTOR, WRECKER, M246		
Brake lock, electric	108	41
TRUCK, VAN, SHOP, M109 (See CABLE)		
TRUCK, WRECKER, 5-TON M62		
Brake lock, electric	108	41
Cable, Intervehicular--Fabricate	109	64
Hook, boom--Lubrication	109	17

U

UNIT RIG MODEL 4262		
Open hydraulic valves	109	60
UNSATISFACTORY EQUIPMENT REPORT (See FORMS, DA, DD, ETC, DA Form 468)		

PS Page

V

VALVE
Fording, wheeled vehicles 107 23
VEHICLE, COMMERCIAL
Tools, how to get 109 39
VEHICLES, GENERAL
Directional Signal Kit--What vehicles can get it 109 65
Windshields--Anti-fogging compound 109 18
VEHICLE TANK RECOVERY M51
Right dipstick 108 42

W

WELDING
Electrode--FSN 107 24
MIG Gun Torch--200 amp maximum current 107 65
Tips for torch 107 61
WHEELED VEHICLE, GENERAL
Fording valves 107 23
Frame welding 108 40

☆ U. S. GOVERNMENT PRINTING OFFICE : 1962 O - 628945

*PM
IS FOR
THE
LONG
HAUL
*
PREVENTIVE
MAINTENANCE